




**ADLER**

legno 

OIL AND WAXES  
FOR INDOOR

<b>Good to know</b>	<b>4</b>
<b>Product overview</b>	<b>10</b>
<b>smart</b>	
Modified oils & waxes	<b>12</b>
<b>natural</b>	
Natural oils & waxes	<b>20</b>
<b>care</b>	
Care products	<b>26</b>
<b>tools</b>	
Tools for processing & care	<b>28</b>



Printed according to the guidelines of the Austrian eco-label "Druckerzeugnisse" (Printed products), Sterndruck GmbH, No. UW 1017



**PEFC zertifiziert**  
Dieses Produkt stammt aus nachhaltig bewirtschafteten Wäldern und kontrollierten Quellen  
[www.pefc.at](http://www.pefc.at)



ClimatePartner.com/10913-2003-1001

**IMPRINT:**

ADLER-Werk Lackfabrik Johann Berghofer GmbH & Co KG | Bergwerkstraße 22 | 6130 Schwaz  
Tel. +43 5242 6922-0 | Fax +43 5242 6922-999 | [info@adler-lacke.com](mailto:info@adler-lacke.com) | [www.adler-lacke.com](http://www.adler-lacke.com)

# we are smart & natural



Paint runs through our veins.

## MORE THAN 80 YEARS OF EXPERIENCE WITH WOOD OILS & WAXES

Wood lives, breathes and warms the soul. It represents the perfect choice for healthy living and creates a pleasant living atmosphere where people can find calm and relaxation. It is therefore all the more important that the beauty and purity of wood is protected in a natural way. Our passion for wood and its natural protection drives us at ADLER to develop optimal solutions for our customers day in day out. Our Legno product line was specially designed for natural protection with first-class oils and waxes. Many years of experience, qualified employees and the use of high-quality raw materials are the cornerstones of our smart oils and waxes.

ADLER convinces with more than 80 years of experience in the field of wood oils and waxes. This reliable expertise enables us to offer a wide range of products for the most diverse applications: from floors and stairs to furniture and wooden structural elements indoors.

We are particularly proud of the positive feedback from our customers in the carpentry and furniture industry. They are often not only processors, but also sparring partners who extensively test our new products before they are launched on the market. A large number of reputable customers attest to our oil competence:

**ANREI**<sup>®</sup>  
ECHT. SEIT 1894

**josko**  
FENSTER & TÜREN

**VENJAKOB**  
Vorsprung durch Design und Qualität

**FORCHER**   
*Möbelqualität aus Tirol*

**STÖCKL  
PARKETT**  
FIRST STEP FOR LIVING.

  
**TREPPENBAU.CH**

**arbor**  
YOUR IDEA, OUR SOLUTION



## GOOD TO KNOW.

With oiled and waxed surfaces the wood looks and feels natural. A characteristic feature of oils and waxes is their natural "grain accentuation". It ensures that the colour and texture of the wood comes into its own. Compared to lacquered surfaces, oiled and waxed surfaces show their strengths mainly in their natural appearance and easier repair of scratches, dents and similar damage.

## DIFFERENCES BETWEEN OILS & WAXES

**Oils** penetrate deep into the wood and accentuate it beautifully. This gives the wood a particularly vibrant appearance. Despite good penetration capacity, the pores remain open so that the wood can still breathe. The surface feels velvety and natural. Oils improve the resistance of the wood and repel dirt. For even more protection and a longer lasting shine of the surface it is recommended to wax the oiled surface again.

**Waxes** form a very thin protective layer on the surface. This layer provides a silky matt effect. A waxed surface can no longer be oiled. Waxes form a thin protective layer on the surface, which closes the pores and prevents the oil from being absorbed.

Both surface treatments promise long-term protection. Even after years, damage such as scratches and stains can be easily repaired. However, a prerequisite for a long-lasting, beautiful result is regular care of the oiled or waxed surface.

# good to know



## ADVANTAGES OF OILS & WAXES

- ✓ **consist mainly of natural, renewable raw materials**
- ✓ **preserve the natural look and feel of the wood**
- ✓ **allow the wood to breathe**
- ✓ **antistatic**
- ✓ **are easy to care for and can be easily refreshed**

## MODIFIED AND NATURAL OILS & WAXES

### smart = modified

In the case of ADLER's smart oils, the natural raw materials are modified during processing. Thereby certain properties are specifically improved, such as the drying speed.

### natural

The basis of ADLER's natural oils and waxes are renewable raw materials of plant origin.



## PROTECTION & CARE

Matt, natural surfaces, earthy colours and noble design – these interior trends currently dominate our living space. Sustainability and environmental protection are also playing an increasingly central role in interior design. A natural-looking surface must nevertheless withstand daily stresses. It can only do so if it is well protected. Oils and waxes not only guarantee a natural-looking surface, but also provide protection in an ecological way. They protect the wood by reducing the absorption capacity of the surface and making it more difficult for liquids and dirt to penetrate. The surface is therefore more robust and resistant to external influences.

**In order to maintain the quality and beauty of an oiled or waxed surface in the long term, appropriate cleaning and care is necessary:**

If oiled wood is exposed to **heavy soiling**, e.g. grease stains, a special cleaner such as **ADLER Legno-Reiniger** should be used.

For refreshing and care, we recommend **ADLER Legno-Pflegeöl** for furniture and **ADLER Legno-Holzbodenseife** for floors. These products have been specially developed for the cleaning and care of a large part of the ADLER Legno product range. With the exception of Legno Aqua-Öl and Legno Dura-Öl – in this case we recommend applying Clean-Möbelpflege Plus for further care and respective product itself for the refreshment.

For regular care, we recommend wiping with a dry, soft and non-fibrous cloth. Please do not use microfibre cloths – these act like fine sandpaper and destroy the oiled surface!

# good to know



Paint runs through our veins.

## NATURAL & SAFE

ADLER does not merely pay lip service to quality, responsible action and social commitment. As is proven by numerous awards and certifications, for which the paint factory regularly undergoes strict inspections.



## OILS & WAXES FOR EVERY APPLICATION

The requirements for oils and waxes are to some extent very different and depend greatly on the application. For example, a piece of furniture must be able to withstand different stresses than a floor.




Furniture




Interior doors



Wall and ceiling elements



Flooring (indoors)



Stairs (indoors)

### Requirements for furniture and wood coatings indoors

Surfaces in this field of application are exposed to mechanical and chemical stresses. Therefore, surfaces in this area must be protected both from mechanical influences such as scratches and from chemical influences such as wine or coffee stains. Wood coatings indoors are therefore divided into **less, normal and highly stressed surfaces**. Less stressed surfaces usually include furniture fronts or storage surfaces in living areas. Work surfaces in kitchens or workshops, for example, are subject to greater stress.

The pictograms shown above indicate whether a product meets the relevant requirements.

When applying oils and waxes to the interior surfaces of cupboards or drawers, pay attention to possible odour nuisance. We therefore recommend that the respective Legno product be applied thinly at most once.

### Requirements for coatings for wooden floors, parquet and stairs

Flooring and stairs are normally **exposed to greater mechanical stress** than furniture surfaces. Depending on the area of application – for example in public areas or in private homes – the stress on flooring or stairs varies greatly. Over time, signs of wear will inevitably appear. Oils offer the particular advantage that wear can be repaired and flooring or stairs can be restored to a more beautiful condition. Furthermore, requirements such as slip-resistance and nonskid properties play a central role in the coating of flooring and stairs.

The pictograms shown above indicate whether a product meets the relevant requirements.

The full range of Legno products from ADLER offers the right solution for each of these applications. The table on the next double page gives you a good overview of which oil or wax is suitable for which stress.









# good to know



## APPLICATION TYPES

Traditionally, oils and waxes are wiped onto a surface. In addition, oils are often painted or rolled. Especially in recent years, ADLER's creative innovation hub has also made great progress in industrial applications. In addition to highly developed UV-drying oils for industry, ADLER offers a range of oils which can be applied by rolling, spraying and dipping. In the meantime, there are specially developed and matched oils for all application methods. On the following double page you will find a detailed table about our Legno products and the suitable application types.

					
Wiping	Painting	Rolling	Machine rolling	Spraying	Dipping
<p>tried and tested for single parts or commercial application</p> <p>for special shapes</p>	<p>subsequent wiping off (depending on product)</p>	<p>quick and easy</p> <p>ideal for larger surfaces</p> <p>subsequent wiping off (depending on product)</p>	<p>ideal for industrial processing</p> <p>optimal for parquet and smooth parts</p> <p>subsequent smearing or grinding in</p>	<p>rational processing for industrial and professional use</p> <p>subsequent wiping off (depending on product)</p> <p>Attention: Risk of self-ignition with contaminated filter mats</p>	<p>especially for moulded parts and mass production</p> <p>subsequent wiping off if necessary</p>

Under certain conditions, oil-soaked cloths or filter mats can tend to self-ignition and cause fires. Refer to the **Safety Data Sheet** for our products and take the following precautions: Soaked rags, cloths and polishing pads must be spread out after use, dried or preferably moistened with water and stored and disposed of in a tightly closed metal container.




## CERTIFICATIONS

ADLER's coatings have gained certification from various European research and testing institutes. This also attests to ADLER's commitment to high-quality and environmentally friendly products.



Baubook is a database for building products that facilitates the use of healthy and environmentally friendly materials. It makes it easier to find evidence of the required credentials in the context of invitations to tender with a focus on ecological factors, when gaining certifications for buildings and in the context of support schemes, and it delivers validated and well-structured data on building materials for the calculation of energy and ecological indicators.



Paints and varnishes used for the interior fittings of ships must satisfy the requirements of the IMO Resolution A.653(16) with regard to low flammability. The testing methodology to assess how a material will behave in a fire situation is set out in our own testing standards; testing is carried out on an inert, non-combustible substrate.



French Directive DEVL1104875A on the labelling of paints and varnishes for the construction industry with regard to their emission of volatile harmful substances: A+



Products with this label meet at least one of the following standards:

- Resistance to Saliva and Perspiration (DIN 53160/1 and DIN 53160/2)
- Safety of toys (EN71-3 (CE)), suitable for use on children's toys



Food-compatible surface treatment: According to the confirmation of OFI Technologie & Innovation GmbH can be used for varnishing wooden objects which temporarily come into contact with food.



Slip-resistance ratings are awarded in accordance with the testing standard DIN 51130. The higher the rating, the better the slip-resistance tends to be. Slip-resistance ratings are allocated as follows: no slip-resistance rating, R9, R10, R11, R12, R13

# good to know



## SUSTAINABLE LABEL

**Under the green sustainability label, you will find the most sustainable coatings in ADLER's product range. In doing so, ADLER relies on the UN's Sustainable Development Goals, which ADLER has defined as the basis for its responsible actions. All products are objectively tested and certified according to three categories: Environment, Health & Safety and Service life. Only products that score positively in all these areas are awarded the green sustainability label.**



### Environment

high percentage of renewable raw materials  
low carbon footprint  
without the addition of substances that are damaging to the environment  
low VOC content

---



### Health & Safety

without the addition of allergens or substances that are hazardous to health  
use of the products  
does not present any health risk



















---



### Service life

long shelf life  
highly durable  
good colour stability

# Product overview

Product	Article number	Base	Grain accentuation	Application method
<b>smart</b>				
<b>Legno-Öl</b>	50880 Farblos (colourless) 50881 Weiß (white)	modified	strong	
<b>Legno-Color</b>	50875 <b>Color4You</b> 🇩🇪	modified	–	
<b>Legno-Zirbenöl</b>	7028 000200	modified	strong	
<b>Legno-Wachs</b>	50890	modified	moderate	
<b>Legno Dura-Öl</b>	7035 000200	modified	moderate	 
<b>Legno-Parkettöl</b>	50871	modified	moderate	
<b>Innolux Vita-Oil Multi</b>	2791 000107	UV – natural	moderate	
<b>natural</b>				
<b>Legno-Hartwachsöl</b>	50821	natural	very strong	
<b>ADLER Leinölfirnis</b>	95901	natural	very strong	
<b>Legno Aqua-Öl</b>	7030 000200	natural water-based	slight	 
<b>Legno-Hartöl</b>	7032 000200	natural	very strong	 
<b>Legno-Walzöl</b>	7005 000200	natural	very strong	
<b>care</b>				
<b>Legno-Pflegeöl</b>	50882	modified	strong	
<b>Legno-Reiniger</b>	80025	solvent-based	–	
<b>Legno-Holzbodenseife</b>	7031 000210	natural	slight	



Wiping



Painting  
with a brush



Rolling



Machine  
rolling



Spraying  
with cup gun  
or airless



Dipping

Chemical resistance	Drying	Stress	Tests and certifications
---------------------	--------	--------	--------------------------




low high

# smart





Anrei




## LEGNO-ÖL

The processing-friendly, quick drying Legno-Öl is suitable for all surfaces made of hardwoods and softwoods used indoors. It penetrates deep into the surface, has a water-resistant effect and emphasises the natural texture of the wood by a very good grain accentuation. Legno-Öl is odourless and not self-igniting. Moreover, Legno-Öl is suitable for coating children's toys as well as wooden items that may occasionally come into contact with foodstuffs.

### SPECIAL PROPERTIES

- **quick drying: 2 applications possible in one day**
- **resistant, water-resistant and dirt-repellent**
- **resistance to saliva and perspiration (ÖNORM S 1555)**
- **safety of toys (ÖNORM EN 71-3)**
- **not self-igniting**
- **emission-tested construction product in accordance with DIBt principles**
- **food-compatible surface treatment**
- **slip resistance class R10 (BGR 181 and DIN 51130)**

### AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: bedroom and living room furnishings



**Article no.** 50880 Farblos (colourless)  
50881 Weiß (white)


**Containers** 750 ml, 2,5 l, 5 l

**Application**





#### Current trend colours




## LEGNO-COLOR

Those who opt for natural wood finishes do not have to go without a variety of colours. With Legno-Color, ADLER gives you an oil that does not restrict you when it comes to your individual interior design, as it can be tinted in many different shades. This enables elegant colours without covering the texture of the wood. No overlaps occur even on large areas. Instead the result is an even, uniform appearance. After colouring with Legno-Color, a surface treatment with Legno-Öl, Legno-Wachs or Legno-Hartwachsöl is recommended. The positive properties of Legno-Color and the other Legno products complement each other ideally.

### SPECIAL PROPERTIES

- can be tinted in many colours
- even colouring
- simple usage
- very good water resistance

### AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: bedroom and living room furnishings



Color4You

**Article no.** 50875 W30, base for tinting

**Containers** 750 ml, 2,5 l

**Application**





# smart



Forcher Tjrol



## LEGNO-ZIRBENÖL

Swiss pine wood has a positive effect on well-being. Especially in bedrooms and recreation rooms, Swiss pine is enjoying increasing popularity. Legno-Zirbenöl was developed especially for application on Swiss pine wood. As the product contains Swiss pine oil, the natural properties of the Swiss pine wood and the characteristic scent of the Swiss pine are preserved. The oil is quickly absorbed, has a water-repellent effect and protects the furniture from stains. To preserve the natural beauty and odour of Swiss pine wood in the long term, we recommend regular care with Legno-Zirbenöl.

### SPECIAL PROPERTIES

- **natural Swiss pine oil with pleasant feel**
- **simple usage**
- **quick drying and water-repellent**
- **resistance to saliva and perspiration (DIN 53160/1 and DIN 53160/2)**

### AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: bedroom and living room furnishings



**Article no.** 7028 000200

**Containers** 750 ml, 2,5 l

**Application**





Forcher Tirol



## LEGNO-WACHS

Legno-Wachs forms a water-resistant and dirt-repellent protective film on the wood surface. It gives the surface a uniform appearance and a velvety soft feel. Particularly pleasant surfaces are achieved if the wax is polished with a brush with leather inserts after overnight drying. Important: Legno-Wachs is not self-igniting!

### SPECIAL PROPERTIES

- simple usage
- quick drying
- noble appearance
- velvety soft feel
- not self-igniting

### AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: bedroom and living room furnishings

not suitable for surfaces subject to greater mechanical stress



**Article no.** 50890

**Containers** 750 ml, 5 l

**Application**



# smart




## LEGNODURA-ÖL

Optimal protection – that is what Legno Dura-Öl stands for. This product combines the best properties from the worlds of oils and varnishes. Legno Dura-Öl is extremely hard-wearing and is therefore also suitable for more heavily stressed surfaces that require a high level of protection in addition to a natural look and pleasant feel – such as floors and stairs.

### SPECIAL PROPERTIES

- natural surface and excellent protection
- very good chemical resistance
- low tendency to gloss
- natural feel
- elegant gradient
- universal processability
- no wiping off necessary!
- refreshing as required with Legno Dura-Öl

### AREAS OF APPLICATION



for stairs and for building components that are permanently connected to the building


also for kitchens, worktops, interior doors and furniture



**Article no.** 7035 000200

**Containers** 750 ml, 2,5 l, 10 l

**Application**





## LEGNO-PARKETTÖL

This dull matt oil is very quick drying and is perfectly suitable for use in the parquet industry. It has good chemical and mechanical resistance. Legno-Parkettöl is resistant to rubber abrasion and is characterised by extremely good water resistance. In addition to a very good filling power, this oil provides a pleasant feel.

### SPECIAL PROPERTIES

- fast-drying oil
- excellent penetration capacity
- good grain accentuation of the wood
- pleasant feel
- very good filling power
- very good water resistance
- for the industrial surface treatment of hardwoods and softwoods

### AREAS OF APPLICATION



for the industrial serial coating of oiled finished parquet elements

**Article no.** 50871  
Special colours on request

**Container** 10 l

**Application**



# smart



Proyer & Proyer Architekten / Martin Steinkellner




## INNOLUX VITA-OIL MULTI

Innolux Vita-Oil is a UV-curing oil on the basis of renewable raw materials. The coating has all the advantages of a natural oil surface: It maintains the natural wood character, provides a strong grain accentuation and exceptional pore wetting. However, unlike regular oils, Innolux Vita-Oil has exceptional chemical and mechanical resistance.

### SPECIAL PROPERTIES

- reactive UV-curing oil
- strong grain accentuation and excellent pore wetting
- exceptional chemical resistance
- very good stackability, particularly scratch-resistant
- suitable for the industrial serial coating
- very easy-care
- multi-layer oil for the coating of furniture surfaces and parquet

### AREAS OF APPLICATION



Application area  
acc. to ÖNORM A 1610-12: I-IV

Innolux Vita-Oil was developed for industrial machine roller application and can be optimally used for the industrial serial coating of finished parquet elements or for the openpore coating of surfaces in furniture and interior finishing if the natural appearance of the wood is to be retained



**Article no.** 2791 000107

**Container** 10 kg

**Application**



# natural






## LEGNO-HARTWACHSÖL

Legno-Hartwachsöl is made of natural, renewable raw materials and combines the positive properties of oils and waxes. This high-solid product is particularly environmentally friendly due to its high solid content (> 97 %). Unlike other Legno products, it is usually sufficient to apply Legno-Hartwachsöl only once.


### SPECIAL PROPERTIES

- particularly environmentally friendly high-solid product
- very good grain accentuation with only one application
- resistant, water-resistant and dirt-repellent
- resistance to saliva and perspiration (ÖNORM S 1555)
- safety of toys (ÖNORM EN 71-3)
- "Baubook"-compliant – meets the criteria of ecological house building

### AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: bedroom and living room furnishings and wooden floors



0736/2022  
Certificate No. 116.411  
U.S. Coast Guard Approval No.  
164.112/EC0736/116.411



**Article no.** 50821

**Containers** 750 ml, 2,5 l

**Application**





## ADLER LEINÖLFIRNIS

This product is a natural linseed oil, which is suitable for hardwoods and softwoods. The oil penetrates well into the wood and evens out areas with varying degrees of absorption. This makes it particularly water-repellent.

### SPECIAL PROPERTIES

- natural, siccated linseed oil
- good drying speed
- penetrates quickly into the wood
- strong grain accentuation
- water-repellent effect
- equalisation of the different absorption capacities

### AREAS OF APPLICATION



for the surface treatment of furniture and windows in the sector of listed buildings, artists' paints and for the modification of limewash paints



**Article no.** 95901

**Containers** 500 ml, 1 l, 5 l

**Application**





# natural



## LEGNO AQUA-ÖL

The special feature of Legno Aqua-Öl is the lower grain accentuation compared to a classic oil, which makes the surface look natural. Legno Aqua-Öl is free of solvents and plasticisers. Despite a pleasant, fine feel, the product offers good surface protection. These properties and the high proportion of renewable raw materials make this water-based wood oil unique.

### SPECIAL PROPERTIES

- water-based, ecological wood oil based on renewable raw materials
- Cradle to Cradle Certified™
- "Baubook"-compliant – meets the criteria of ecological house building
- resistance to saliva and perspiration (DIN 53160/1 und DIN 53160/2)
- matt surface with low grain accentuation
- quick drying and good surface protection
- refreshing as required with Legno Aqua-Öl

### AREAS OF APPLICATION



for parts of the living area subject to light or normal stress such as bedrooms and living rooms in furniture and interior finishing



**Article no.** 7030 000200

**Containers** 750 ml, 2,5 l, 22 l

**Application**





## LEGNO-HARTÖL

Thanks to the combination of different natural raw materials, Legno-Hartöl can be used universally on hardwoods and softwoods. The oil accentuates the grain beautifully and feels pleasantly natural. It penetrates particularly well into the wood and therefore has good water resistance.

### SPECIAL PROPERTIES

- excellent grain accentuation
- excellent penetration capacity
- high transparency
- good water resistance
- pleasant feel
- for industrial application

### AREAS OF APPLICATION



for furniture, interior finishing, wall panelling and wooden ceilings



**Article no.** 7032 000200

**Container** 200 l

**Application**



# natural



## LEGNO-WALZÖL

If you want to achieve natural, oiled surfaces in the industrial sector, Legno-Walzöl is the right choice. Legno-Walzöl is an oil-wax combination that combines the positive properties of oils with those of waxes.

### SPECIAL PROPERTIES

- oil-wax combination based on natural raw materials
- for the industrial surface treatment of hardwoods and softwoods
- excellent penetration capacity
- excellent grain accentuation of the wood
- optimal filling power and surface smoothness
- single application and easy to polish

### AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: bedroom and living room furnishings



**Article no.** 7005 000200

**Containers** 5 l, 22 l

**Application**





## LEGNO-REINIGER & LEGNO-PFLEGEÖL

The Legno-Reiniger and Legno-Pflegeöl have been specially developed for the cleaning and care of oiled surfaces indoors. Stubborn dirt and grease can be removed with the mild-odour ADLER Legno-Reiniger. With its excellent cleaning effect, Legno-Reiniger is also suitable for greasy soiling. The universal Legno-Pflegeöl refreshes oiled wooden surfaces and is absorbed deeply and quickly into the surface. The care oil is distributed thinly and evenly on the piece of furniture simply by wiping.

### SPECIAL PROPERTIES

- simple usage
- cleans and refreshes wood surfaces
- mild odour
- Legno-Pflegeöl is quickly absorbed
- Legno-Pflegeöl: Food-compatible surface treatment

### AREAS OF APPLICATION

for the cleaning and care of oiled furniture in living areas and surfaces in interior finishing

applies to Legno-Pflegeöl:



**Set** 7029 00021001  
**Content** Legno-Reiniger 125 ml  
 Legno-Pflegeöl 125 ml  
 Abrasive fleece, cleaning cloth  
 and care instructions

Article no.	Reiniger	Pflegeöl
	80025	50882
<b>Containers</b>	250 ml, 1 l	250 ml

### Application





## LEGNO-HOLZBODENSEIFE

The high-quality Legno-Holzbodenseife is used for the regular cleaning and care of oiled, waxed or leached wood and parquet flooring, as well as cork and laminate flooring indoors. The high cleaning power removes dirt quickly and easily. The care concentrate contains natural vegetable fats, which clean and care for the floor with a moisturising effect. It has a neutral pH-value and an antistatic effect. The Legno-Holzbodenseife leaves a silky matt care film behind.

### SPECIAL PROPERTIES

- simple usage
- cleans, cares for and refines wood and parquet flooring over the long term
- universally applicable – also for other oiled areas, such as panelling
- pleasant matt effect
- antistatic

### AREAS OF APPLICATION

for oiled, waxed and leached wood and parquet flooring, oiled cork flooring and laminate flooring



**Article no.** 7031 000210 Natur

**Containers** 1 l, 2,5 l

**Application**



# tools



## MULTI-FLEX GLOVE\*

Professional-quality seamless fine knit in nylon spandex with nitrile microfoam coating and nitrile studs. The gloves offer high abrasion resistance, very good tactile feel, are liquid-repellent, resistant to oils and greases and breathable.

- Very good tactile feel, grip on smooth surfaces
- Liquid-repellent, breathable
- Resistant to oils and greases

VE 1 pair	
Size 7	9680001
Size 9	9680101
Size 10	9680301
Size 11	9680201

## SOLVAMAXX PLUS



Professional-quality brush for solvent-based varnishes and glazes. This special brush delivers perfect coating results without visible brush strokes. It has very fine polyester bristles and is solvent-resistant. Available in 50 and 100 mm width.

- for oils, solvent-based varnishes and glazes
- perfect coating result without visible brush strokes
- very long shelf life

VE 1 piece	
50 mm	9612511
100 mm	9612611

## SHORT HAIR ROLLER



High-quality paint roller made of microfibre yarns and a polyester blend with a shearing height of 5 mm. The short hair roller is suitable for the application of acrylic and alkyd resin paints, PU varnishes and oils. The colour gradient is optimal and the result is a lint-free, smooth surface without streaks. Available in 100 and 250 mm.

- no streaking and rolling marks
- good colour gradient
- suitable for water-, solvent-based varnishes and oils

VE 10 pieces	
100 mm	9645817
250 mm	9646017

# Tools for processing and care



## HOLDER FOR OIL APPLICATION PADS

Pad holder with handle for manual oil processing on furniture. The holder can attach all hand pads with dimensions of 13 x 9 cm. Dimensions: 13 x 9 cm.

- pad holder with ergonomic handle
- for manual oil processing
- for oil pads with dimensions of 13 x 9 cm

	VE 1 piece
Art. no.	953200030011



## PADS FOR OIL APPLICATION

The yellow oil pad can be used for convenient manual processing of wood oil. Scope of delivery: without the corresponding holder. Dimensions: 13 x 9 cm.

- pad for manual processing of oil
- suitable for the 13 x 9 cm pad holder

	VE 10 pieces
Art. no.	953300030017



## KATRIN BASIC CLEANING PAPER

This high-quality and versatile tissue wiping cloth is particularly suitable for cleaning surfaces by absorbing dirt, oils and grease. The two-layer paper has excellent suction power and is particularly tear-resistant. Dimensions: 22 x 38 cm, 380 m in length.

- for removing dirt, oils and greases
- two-layer
- excellent suction power and tear resistance

	VE 2 rolls
Art. no.	9690617



**Paint runs through our veins.**

Over 80 years ago, Johann Berghofer laid the foundation stone for ADLER and work was started to develop its own paints.

Much has changed since that time, but one thing has stayed the same: our passion for colour, which drives us day after day to work on the perfect surface coating.

**Paint runs through our veins.**

**ADLER-Werk Lackfabrik · A-6130 Schwaz/Tirol · Bergwerkstraße 22 · T. +43 5242 6922-0**  
**info@adler-lacke.com · www.adler-lacke.com · facebook.com/adlerlacke**

**ADLER Deutschland GmbH** · Kunstmühlstr. 14 · D-83026 Rosenheim · T. +49 8031 304 5174  
**ADLER Lack AG** · Etzelstraße 5 · CH-8856 Tuggen · T. +41 55 465 2121  
**ADLER Polska Sp. z o.o.** · ul. Tyniecka 229 · PL-30-376 Kraków · T. +48 12 252 4001  
**ADLER Slovensko s.r.o.** · Montážna 3 · SK-971 01 Prievidza · T. +421 46 5199 621

**ADLER Česko s.r.o.** · Pražská 675/10 · CZ - 642 00 Brno - Bosonohy · T. +420 731 725 957  
**ADLER Italia S.r.l.** · Via per Marco 12/D · I-38068 Rovereto · T. +39 0464 425 308  
**ADLER Benelux BV** · De Boelakkers 12 · NL-5591 RA Heeze · T. +31 85 064 2020